

WHEN PERFORMANCE COUNTS

Clean. Compliant. Consistent.

High Teck™ solvent solutions provide residue-free cleaning, Zero-VOC reduction, and reliable performance for every stage of the refinishing process.



www.highteck.com

High Teck solvents solutions provide 100% virgin formulations that are residue-free and reliable for every stage of the refinish process. Whether you work in a national rule area or VOC-restricted, High Tech has the right solvent for when performance counts.

ECONOMY WASH LACQUER THINNER

- Multi-purpose thinner for solvent cleaning
- 100% virgin solvent excellent for cleaning paint equipment

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7900-1	GL	4	Y	N	N
HIT.7900-5	5G	1	Y	N	N
HIT.7900-53	DRUM	1	Y	N	N
HIT.W7900-1 *	GL	4	Y	N	N
HIT.W7900-5 *	5G	1	Y	N	N
HIT.W7900-53 *	DRUM	1	Y	N	N

* STOCKED IN CALIFORNIA ONLY. CHECK LOCAL AIR QUALITY DISTRICT STANDARDS FOR AUTHORIZED USE. *



RULE 1171 COMPLIANT WASH SOLVENT

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7811-1 *	GL	4	Y	Y	Y
HIT.W7811-5 *	5G	1	Y	Y	Y
HIT.W7811-53 *	DRUM	1	Y	Y	Y

* STOCKED IN CALIFORNIA ONLY. RULE 1171 COMPLIANT. CHECK LOCAL AIR QUALITY DISTRICT STANDARDS FOR AUTHORIZED USE.*



ACETONE

- High-grade, fast-evaporating
- Ideal for surface cleaning prior to painting
- Effective solvent for reducing certain coatings, check VOC regulations and paint manufacturers' recommendations.
- 100% Virgin

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.77200-1	GL	4	Y	Y	Y
HIT.77200-5	5G	1	Y	Y	Y
HIT.77200-53	DRUM	1	Y	Y	Y

NOT STOCKED IN CALIFORNIA. SEE W7830 SERIES BELOW



ACETONE

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7830-1 *	GL	4	Y	Y	Y
HIT.W7830-5 *	5G	1	Y	Y	Y
HIT.W7830-53 *	DRUM	1	Y	Y	Y

* CALIFORNIA ONLY *



High Tech solvents solutions provide 100% virgin formulations that are residue-free and reliable for every stage of the refinish process. Whether you work in a national rule area or VOC-restricted, High Tech has the right solvent for when performance counts.

URETHANE REDUCER

URETHANE REDUCER - FAST

Produces a brilliant gloss, superior leveling and outstanding control of metallics. Use with almost any brand of primer, basecoat or clear that requires a quality urethane reducer.

- Fast for shop conditions 55 to 70 degrees
- 100% virgin solvents
- Less clearcoat buffing
- Maximum holdout

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7710-1	FAST	GL	4	Y	Y	N
HIT.7710-4	FAST	QT	12	Y	N	N
HIT.7710-5	FAST	5G	1	Y	Y	N
HIT.7710-53	FAST	DRUM	1	Y	Y	N

* SCAQMD NOT COMPLIANT IN CALIFORNIA**

URETHANE REDUCER - MEDIUM

- Medium for shop conditions 70 to 80 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7720-1	MEDIUM	GL	4	Y	Y	N
HIT.7720-4	MEDIUM	QT	12	Y	N	N
HIT.7720-5	MEDIUM	5G	1	Y	Y	N
HIT.7720-53	MEDIUM	DRUM	1	Y	Y	N

* SCAQMD NOT COMPLIANT IN CALIFORNIA**

URETHANE REDUCER - SLOW

- Slow for shop conditions 75 to 85 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7730-1	SLOW	GL	4	Y	Y	N
HIT.7730-4	SLOW	QT	12	Y	N	N
HIT.7730-5	SLOW	5G	1	Y	Y	N
HIT.7730-53	SLOW	DRUM	1	Y	Y	N

* SCAQMD NOT COMPLIANT IN CALIFORNIA**

URETHANE REDUCER - EXTRA SLOW

- Extra Slow for shop conditions 80 to 90 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7745-1	EXTRA SLOW	GL	4	Y	Y	N
HIT.7745-4	EXTRA SLOW	QT	12	Y	N	N
HIT.7745-5	EXTRA SLOW	5G	1	Y	Y	N

* SCAQMD NOT COMPLIANT IN CALIFORNIA**



URETHANE REDUCER - FAST *CALIFORNIA ONLY*

- Fast for shop conditions 55-70 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7710-1 *	FAST	GL	4	Y	Y	N
HIT.W7710-5 *	FAST	5G	1	Y	Y	N

* CALIFORNIA ONLY *

URETHANE REDUCER - MEDIUM *CALIFORNIA ONLY*

- Medium or shop conditions 70 to 80 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7720-1 *	MEDIUM	GL	4	Y	Y	N
HIT.W7720-5 *	MEDIUM	5G	1	Y	Y	N

* CALIFORNIA ONLY *

URETHANE REDUCER - SLOW *CALIFORNIA ONLY*

- Slow for shop conditions 75 to 85 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7730-1 *	SLOW	GL	4	Y	Y	N
HIT.W7730-5 *	SLOW	5G	1	Y	Y	N

* CALIFORNIA ONLY *

URETHANE REDUCER - EXTRA SLOW *CALIFORNIA ONLY*

- Extra Slow for shop conditions 80 to 90 degrees

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7745-1 *	EXTRA SLOW	GL	4	Y	Y	N

* CALIFORNIA ONLY *

High Teck solvents solutions provide 100% virgin formulations that are residue-free and reliable for every stage of the refinish process. Whether you work in a national rule area or VOC-restricted, High Tech has the right solvent for when performance counts.

ZERO VOC SOLVENTS

- For use in both urethane and enamel paint products
- Zero VOC formula will not increase sprayable VOCs

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	Low VOC
HIT.7770-4	FAST	QT	12	N	N	Y ●
HIT.7780-4	MEDIUM	QT	12	N	N	Y ●
HIT.7790-4	SLOW	QT	12	N	N	Y ●
HIT.7795-1	X SLOW	GL	4	N	N	Y ●
HIT.7795-4	X SLOW	QT	12	N	N	Y ●
HIT.7795-5	X SLOW	5G	1	N	N	Y ●

* CALIFORNIA ONLY *

Shop Conditions

- 55 to 70 Degree
- 70 to 80 Degree
- 80 to 90 Degree
- 90 to 100 Degree



RULE 1171 COMPLIANT URETHANE REDUCERS

- For use in both urethane and enamel paint products
- Zero VOC formula will not increase sprayable VOCs

PART #	TEMP.	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.W7860-1 *	FAST	GL	4	N	N	Y ●
HIT.W7860-5 *	FAST	5G	1	N	N	Y ●
HIT.W7870-1 *	MEDIUM	GL	4	N	N	Y ●
HIT.W7870-5 *	MEDIUM	5G	1	N	N	Y ●
HIT.W7880-1 *	SLOW	GL	4	N	N	Y ●
HIT.W7880-5 *	SLOW	5G	1	N	N	Y ●

* CALIFORNIA ONLY *



FINAL WIPE SOLVENT

- For final removal of oils, silicone, grease, wax and more prior to final painting
- Unique, solvent-based formula is residue free
- Not for use on plastic or fiberglass

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.77902-1	GL	4	Y	N	N
HIT.77902-4	QT	12	Y	N	N
HIT.77902-5	5G	1	Y	N	N

NOT COMPLIANT IN CALIFORNIA



WIPE OUT WAX & GREASE REMOVER

Wipe out wax, grease, grime and other contaminants with High Teck Wipeout Surface Prep. This fast-acting formula works on metal, plastic and fiberglass, creating a clean surface before sanding and/or priming.

- Eliminate contaminants from project surfaces
- Excellent on metal, plastic and fiberglass
- Easy application and speedy results

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7800-1	GL	4	Y	N	N
HIT.7800-4	QT	12	Y	N	N
HIT.7800-5	5G	1	Y	N	N
HIT.7800-A	CN	12	Y	N	N

LOW VOC WATERBORNE CLEANER

PART #	UOM	QTY/CS	NATIONAL RULE	SCAQMD	LOW VOC
HIT.7801V-1	GL	4	Y	Y	Y

